


THE BASIC SHELL SCHEME STAND

Shell scheme stands are built using the Click construction system. This is a modular aluminium frame structure in mattsilver anodised aluminium, 2.5m high with posts at 1m centres, each with eight channels; infill panels are finished in steel grey nylon loop. Depending on individual stand layout, some panels may be of smaller widths within the overall 1m grid.

A fascia panel is provided on each open side, supported by system posts at intervals: the maximum distance between support posts is 4 metres. The drawing shows details of framework and panel sizes.



1. Fascia board Coloured Foamex

> either side. Height 300mm, 170mm

visible board.

55mm wide with 8 2. System post

> channels. - Note posts protrude by 22mm from face of panel.

3. System rail 65mm high.

4. Infill panel With grey nylon loop

fabric both sides

5. Nameboard For exhibitor name

and stand number.

6. Venue flooring Venue carpet or venue


flooring.




OPTIONAL EXTRAS

Extra display fittings and wall panels for subdivision of your stand space are available to order. Please note that the only fixing method which may be used directly on wall panels is Velcro dots and strips; **no pins, staples, screws, or other intrusive fixings are allowed.** If a wall panel is damaged in any way, then an extra charge for replacement will be made.

If you need to fix heavy objects to walls, you can do so by using a Pendant Panel fitted with a plywood infill which will accept most kinds of fixing.



- 1 Pin board display panel
- 2 Pendant mirror
- 3 Sloping shelf
- 4 Straight shelf
- 5 Garment rail
- 6 Waterfall garment rail
- 7 Garment hook set
- 8 Power track
- 9 Lighting track on cantilever brackets
- 10 Spotlights
- 11 Literature rack
- 12 Worktop plinth
- 13 Internal partition panels
- 14 Lockable doors
- 15 Low panels



The Click system post (above) and horizontal rail



Extra wall panelling

Fabric covered panels or white melamine panels (dependant on organisers request) for subdividing stand space, like those in main structures. Standard finish. Alternative finishes are available by arrangement. Note: NO FIXINGS ALLOWED to these panels: pendant display panels (see below) are available for this purpose.

WP10-25 Wall panel 1m wide x 2.5m high WP05-25 Wall panel 0.5m wide x 2.5m high DP10-10 Low panel 1m wide x 1m high

Shelves & literature rack

White laminate-faced shelves fixed to walls with cantilever brackets. Can be fitted sloping at 25deg with a raised aluminium lip at the front edge, or flat with a flush front edge. The literature rack is in aluminium and acrylic. All are adjustable for height. Max. recommended load 30 Kg.

 $\begin{array}{lll} \text{SF10-03} & \text{Shelf-Flat}\,1\text{m}\,\text{wide}\,0.3\text{m}\,\text{deep} & \text{SF20-03} & \text{Shelf-Flat}\,2\text{m}\,\text{wide}\,0.3\text{m}\,\text{deep} \\ \text{SS10-03} & \text{Shelf-Sloping}\,1\text{m}\,\text{wide}\,0.3\text{m}\,\text{deep} & \text{SS20-03} & \text{Shelf-Sloping}\,2\text{m}\,\text{wide}\,0.300\,\text{deep} \\ \end{array}$

LIT01 Literature rack 1m wide, 0.2m deep with 4no A4 sections

Worktop plinth

A 500mm deep white laminate-faced worktop/shelf on an aluminium plinth frame fixed to the wall. Will support substantial weights and should be used in reference to cantilever shelves for heavy items. Special depths/heights by arrangement.

WP10-05-05 Worktop 1m wide, 0.5m deep, 1m high WP10-05-10 Worktop 2m wide, 0.5m deep, 1m high

Garment hanging

Rails, brackets, and hooks for fixing to the walls. The rails project 320mm from the wall panels and can span 1 or 2 bays. The waterfall bracket fixes to any post, including the 45deg channels. The garment hook set is based on a horizontal rail which spans one bay. Default height from ground 1.500m but can be different height by arrangement. Special rail lengths are also available if required.

GR10 1m garmentrail GR20 2m garmentrail
NB420 Waterfall garment rail 420mm GH10 Garment hook set – 4 hooks, 1m wide

Doors & curtains for internal enclosures

Where extra panels are being ordered to enclose a space within the stand, access may be provided by substituting a lockable door or a curtain for one of the 1m panels. The door is timber-veneer-faced and fitted with a lockable handle set. The standard curtain is in white, but custom fabrics can be supplied by arrangement.

EXDOOR Lockable door module for 1m wide bay CUR01 Curtain set for 1m wide bay



SHELL SCHEME MODULAR SYSTEM



Your attention is drawn to the following fixings which are strictly forbidden on this system:



LOOP NYLON PANELS

Fixing is permitted by: Velcro hook dots or strips or pendant display panels for heavy exhibits.

WHITE FOAMEX PANELS

Fixing is permitted by: Blu Tac, Velcro hook/loop dots or strips or pendant display panels for heavy exhibits.

Supplies of Velcro hook dots and strips and double-sided tabs can be purchased from the **Pickard Event Services Office on 01423 290300.**